Volume 172 1988

FEBS

# European Journal of Biochemistry

**Honorary Chairman**
Frederick Sanger (Cambridge)

**Managing Editors**
Philipp Christen (Zürich), Michael J. Clemens (London), S. P. Datta (London), Eberhard Hofmann (Leipzig) *reviews editor*, Louis Hue (Bruxelles), Pierre Jollès (Paris), Claude Liébecq (Liège) *senior managing editor*, Walter Neupert (München), David G. Nicholls (Dundee), and Cees Veeger (Wageningen)

**Editorial-Advisory Board**
R. Arnon (Rehovot), S. Avrameas (Paris), B. E. C. Banks (London), A. Bernardi (Gif-sur-Yvette), H. Betz (Heidelberg), T.A. Bickle (Basel), J. Bremer (Oslo), A. Cornish-Bowden (Marseille), R. Cortese (Heidelberg), C. Crane-Robinson (Portsmouth), M. Crompton (London), J. Demaille (Montpellier), L. B. Dolapchiev (Sofiya), J. O. Dolly (London), H. Durchschlag (Regensburg), J. Duszynski (Warszawa), H. Eisenberg (Rehovot), H. Fasold (Frankfurt), J. Filipski (Paris), J. Finne (Kuopio), A. Fontana (Padova), F. Franěk (Praha), D. C. Gallwitz (Göttingen), G. P. Georgiev (Moskva), S. Ghisla (Konstanz), F. Goñi (Bilbao), H. Grosjean (Rhode-St-Genèse), D. G. Hardie (Dundee), D. H. Hayes (Paris), C.-H. Heldin (Uppsala), F. W. Hemming (Nottingham), A. Henschen-Edman (Martinsried), H. Hilz (Hamburg), F. Hofmann (Homburg), F. Hucho (Berlin), M. Jacob (Strasbourg), K. H. Jakobs (Heidelberg), H. Jörnvall (Stockholm), K. Jungermann (Göttingen), M. Klingenberg (München), W. N. Konings (Haren), R. Kraayenhof (Amsterdam), G. Kreil (Salzburg), L. Lehle (Regensburg), J.-M. Lhoste (Orsay), K. Martinek (Praha), M. Monsigny (Orléans), A. Paraf (Monnaie), I. Pecht (Rehovot), G. Pettersson (Lund), L. A. Pinna (Padova), A. Puigserver (Marseille), T. A. Rapoport (Berlin), J. G. Reich (Berlin), J. Rétey (Karlsruhe), J. Ricard (Marseille), E. Rickli (Bern), H. Rüterjans (Frankfurt), M. V. Saraste (Helsinki), M. C. Scrutton (London), V. Sgaramella (Pavia), A. E. Sippel (Heidelberg), V. P. Skulachev (Moskva), C. Sluse-Goffart (Liège), J. M. Tager (Amsterdam), I. P. Trayer (Birmingham), V. Ullrich (Konstanz), P. Venetianer (Szeged), A. Verbert (Villeneuve-d'Ascq), P. V. Vignais (Grenoble), J. F. G. Vliegenthart (Utrecht), K. von Figura (Göttingen), R. J. P. Williams (Oxford), K. W. A. Wirtz (Utrecht), A. V. Xavier (Lisboa), W. Zillig (Martinsried), H. Zuber (Zürich)

**Published by Springer International**
**on behalf of the Federation of European Biochemical Societies**

The exclusive copyright for all languages and countries, including the rights for photographic reproduction, electronic data base, video disks, or any other reproduction of text, figures, or tables from this journal, also in microform, is vested in the Federation of European Biochemical Societies.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted that such names are exempt from the relevant protective laws and regulations and may accordingly be used freely by anyone.

Individuals may reproduce material published in this journal when writing a review or book as long as they make proper acknowledgement to the origin of the material and obtain the author(s)' permission if this condition applies.

Springer Verlag · Berlin · Heidelberg · New York

Printers: Wiesbadener Graphische Betriebe GmbH, Wiesbaden

Printed in Germany

Copyright © by the Federation of European Biochemical Societies 1988

# Volume 172 1988

## Table of contents

No. 1 1–260 issued on February 15, 1988
No. 2 261–512 issued on March 1, 1988
No. 3 513–784 issued on March 15, 1988

Corrections 784

### Reviews

Sialylated lactosylceramides — Possible inducers of non-specific immunosuppression and atherosclerotic lesions
*N. V. Prokazova, E. V. Dyatlovitskaya and L. D. Bergelson* 1– 6

Direct and indirect electron transfer between electrodes and redox proteins
*J. E. Frew and H. A. O. Hill* 261–269

*18th Sir Hans Krebs Lecture*
Knowledge-based protein modelling and design
*T. Blundell, D. Carney, S. Gardner, F. Hayes, B. Howlin, T. Hubbard, J. Overington, D. A. Singh, B. L. Sibanda and M. Sutcliffe* 513–520

### Nucleic acids, protein synthesis, and molecular genetics

Specific inhibition of simian virus 40 protein synthesis by heat and arsenite treatment
*C. E. Angelidis, I. Lazaridis and G. N. Pagoulatos* 27– 34

Human basement membrane collagen (type IV) — The amino acid sequence of the α2(IV) chain and its comparison with the α1(IV) chain reveals deletions in the α1(IV) chain
*D. Brazel, R. Pollner, I. Oberbäumer and K. Kühn* 35– 42

The rat vitamin-D-dependent calcium-binding protein (9-kDa CaBP) gene — Complete nucleotide sequence and structural organization
*C. Perret, N. Lomri, N. Gouhier, C. Auffray and M. Thomasset* 43– 51

Expression of opioid genes in bovine seminal vesicles
*R. Piccoli, A. Pasanisi, A. Carsana, M. Palmieri and G. D'Alessio* 53– 58

Secondary structure and expression *in vivo* and *in vitro* of messenger RNAs into which upstream AUG codons have been inserted
*L. P. Van Duijn, S. Holsappel, M. Kasperaitis, H. Bunschoten, D. Konings and H. O. Voorma* 59– 66

The heat-shock response in *Trypanosoma cruzi*
*A. Alcina, A. Urzainqui and L. Carrasco* 121–127

A dimeric inhibitor or insect α-amylase from barley — Cloning of the cDNA and identification of the protein
*A. Lázaro, R. Sanchez-Monge, G. Salcedo, J. Paz-Ares, P. Carbonero and F. García-Olmedo* 129–134

Histone accessibility determined by lysine-specific acetylation in chicken erythrocyte nuclei
*P. N. Lewis, J. G. Guillemette and S. Chan* 135–145

Characterization of cDNA clones for human glycophorin A — Use for gene localization and for analysis of normal of glycophorin-A-deficient (Finnish type) genomic DNA
*C. Rahuel, J. London, L. d'Auriol, M.-G. Mattei, C. Tournamille, C. Skrzynia, Y. Lebouc, F. Galibert and J.-P. Cartron* 147–153

Excision of apurinic and/or apyrimidinic sites from DNA by nucleolytical enzymes from rat brain
*V. A. Ivanov, T. M. Tretyak and Y. N. Afonin* 155–159

Molecular analysis of resveratrol synthase — cDNA, genomic clones and relationship with chalcone synthase
*G. Schröder, J. W. S. Brown and J. Schröder* 161–169

Molecular cloning and expression of salmon prolactin cDNA
*S. Song, K.-Y. Trinh, C. L. Hew, S.-J. Hwang, S. Belkhode and D. R. Idler* 279–285

Lipoamide dehydrogenase from *Azotobacter vinelandii* — Molecular cloning, organization and sequence analysis of the gene
*A. H. Westphal and A. de Kok* 299–305

Differential mRNA stability to reticulocyte ribonucleases correlates with 3′ non-coding $(U)_nA$ sequences
*D. H. Wreschner and G. Rechavi* 333–440

Members of the *Drosophila* HSP 70 family share ATP-binding properties
*J. F. Beaulieu and R. M. Tanguay* 341–347

Differential inhibition of various deoxyribonucleic and ribonucleic acid polymerases by suramin
*K. Ono, H. Nakane and M. Fukushima* 349–353

Regulation of translation and stability of an mRNA coding for a 40-kDa polypeptide in rat L6 muscle cells
*S. K. Pramanik, W. J. Meadus and J. Bag* 355–362

Expression of a constitutive form of cytochrome *P*450 during rat-liver development and sexual maturation
*M. Barroso, O. Dargouge and M.-C. Lechner* 363–369

The structure of the gene for cecropin B, an antibacterial immune protein from *Hyalophora cecropia*
*K. G. Xanthopoulos, J.-Y. Lee, R. Gan, K. Kockum, I. Faye and H. G. Boman* 371–376

Deoxycytidylate hydroxymethylase gene of bacteriophage T4 — Nucleotide sequence determination and over-expression of the gene
*N. Lamm, Y. Wang, C. K. Mathews and W. Rüger* 553–563

Characterisation of two differently processed forms of human recombinant factor IX synthesised in CHO cells transformed with a polycistronic vector
*A. Balland, T. Faure, D. Carvallo, P. Cordier, P. Ulrich, B. Fournet, H. De La Salle and J.-P. Lecocq* 565–572

Nucleotide sequence of cloned cDNA coding for pumpkin 11-S globulin β subunit
*M. Hayashi, H. Mori, M. Nishimura, T. Akazawa and I. Hara-Nishimura* 627–632

Shape and location of eukaryotic initiation factor eIF-2 on the 40S ribosomal subunit of rat liver — Immunoelectron-microscopic and hydrodynamic investigations
*U.-A. Bommer, G. Lutsch, J. Behlke, J. Stahl, N. Nesytova, A. Henske and H. Bielka* 653–662

tRNA-mediated labelling of proteins with biotin. A nonradioactive method for the detection of cell-free translation products
*T. V. Kurzchalia, M. Wiedmann, H. Breter, W. Zimmermann, E. Bauschke and T. A. Rapoport* 663–668

A homologous *in vitro* system to analyze transcription of a mouse immunoglobulin μ heavy-chain gene
*T. Giller, L. Brunner, L. Pick and C. Brack* 679–685

Polypeptide elongation factor Tu from *Halobacterium marismortui*
*F. Guinet, R. Frank and R. Leberman* 687–694

Structural and transcriptional characterization of the external spacer of a ribosomal RNA nuclear gene from a higher plant
*D. Delcasso-Tremousaygue, F. Grellet, F. Panabieres, E. D. Ananiev and M. Delseny* 767–776

## Protein chemistry and structure

Purification of the LSTRA tyrosine protein kinase ($p56^{lck}$)
*H. Van Tan, S. Fischer, R. Fagard* 67– 72

Rat liver alcohol dehydrogenase of class III — Primary structure, functional consequences and relationships to other alcohol dehydrogenases
*P. Julià, X. Pareś and H. Jörnvall* 73– 83

Spectroscopic studies on cadmium(II)- and cobalt(II)-substituted metallothionein from the crab *Cancer pagurus* — Evidence for one additional low-affinity metal-binding site
*J. Overnell, M. Good and M. Vašák* 171–177

Molecular pathology of scrapie-associated fibril protein (PrP) in mouse brain affected by the ME7 strain of scrapie
*J. Hope, G. Multhaupt, L. J. D. Reekie, R. H. Kimberlin and K. Beyreuther* 271–277

Site-site interactions in EF-hand calcium-binding proteins — Laser-excited europium luminescence studies of 9-kDa calbindin, the pig intestinal calcium-binding protein
*T. Hofmann, S. Eng, H. Lilja, T. Drakenberg, H. J. Vogel and S. Forsén* 307–313

Sulfite oxidase from chicken liver — Further characterization of the role of carboxyl groups in the reaction with cytochrome *c*
*M. Ritzmann and H. R. Bosshard* 377–381

Circular dichroic spectra of elapid cardiotoxins
*J.-M. Grognet, A. Ménez, A. Drake, K. Hayashi, I. E. G. Morrison and R. C. Hider* 383–388

The interaction of troponin-I with the N-terminal region of actin
*B. A. Levine, A. J. G. Moir and S. V. Perry* 389–397

Binding of tissue-type plasminogen activator to fibrinogen fragments
*P. J. Bosma, D. C. Rijken and W. Nieuwenhuizen* 399–404

Purification, properties and complete amino acid sequence of the ferredoxin from a green alga, *Chlamydomonas reinhardtii*
*J.-M. Schmitter, J.-P. Jacquot, F. de Lamotte-Guéry, C. Beauvallet, S. Dutka, P. Gadal and P. Decottignies* 405–412

Amino acid sequence determination and three-dimensional modelling of thioredoxin from the photosynthetic bacterium *Rhodobacter sphaeroides* Y
*J. D. Clement-Metral, A. Holmgren, C. Cambillau, H. Jörnvall, H. Eklund, D. Thomas and F. Lederer* 413–419

Characterization of the protein which binds insulin-like growth factor in human serum
*R. Rapp, A. Deger, W. Blum, R. Koch and U. Weber* 421–425

Low-molecular-mass surfactant protein type 1 — The primary structure of a hydrophobic 8-kDa polypeptide with eight half-cystine residues
*T. Curstedt, J. Johansson, J. Barros-Söderling, B. Robertson, G. Nilsson, M. Westberg and H. Jörnvall* 521–525

Mitochondrial aldehyde dehydrogenase from horse liver — Correlations of the same species variants for both the cytosolic and the mitochondrial forms of an enzyme
*J. Johansson, H. von Bahr-Lindström, R. Jeck, C. Woenckhaus and H. Jörnvall* 527–533

A maximum of two tryptophan residues in gene-32 protein from phage T4 undergo stacking interactions with single-stranded polynucleotides
*J. R. Casas-Finet, J.-J. Toulmé, R. Santus and A. H. Maki* 641–646

Complete amino acid sequences of the ribosomal proteins L25, L29 and L31 from the archaebacterium *Halobacterium marismortui*
*T. Hatakeyama and M. Kimura* 703–711

## Enzymology

Highly sensitive peptide-4-methylcoumaryl-7-amide substrates for blood-clotting proteases and trypsin
*S. Kawabata, T. Miura, T. Morita, H. Kato, K. Fujikawa, S. Iwanaga, K. Takada, T. Kimura and S. Sakakibara* 17– 25

Isocitrate lyase from *Pinus pinea* — Characterization of its true substrate and the action of magnesium ions
*E. Giachetti, G. Pinzauti, R. Bonaccorsi and P. Vanni* 85– 91

Purification of bovine liver cytosolic 5'-nucleotidase — Kinetic and structural studies as compared to the membrane isoenzyme
*M. Zekri, J. Harb, S. Bernard and K. Meflah* 93–99

Inactivation of the gene encoding the 11-kDa subunit VIII of the ubiquinol–cytochrome-*c* oxidoreductase in *Saccharomyces cerevisiae*
*A. C. Maarse, M. De Haan, P. J. Schoppink, J. A. Berden and L. A. Grivell* 179–184

Enzymatic properties of single-chain and two-chain forms of a $Lys^{158} \rightarrow Glu^{158}$ mutant of urokinase-type plasminogen activator
*H. R. Lijnen, B. Van Hoef, L. Nelles, W. E. Holmes and D. Collen* 185–188

Interaction of a spin-labelled cholesterol derivative with the cytochrome P-450$_{SCC}$ active site
*R. Lange, L. Maurin, C. Larroque and A. Bienvenüe* 189–195

Characterization of human neutrophil leukotriene $B_4\omega$-hydroxylase as a system involving a unique cytochrome *P*-450 and NADPH–cytochrome *P*-450 reductase
*H. Sumimoto, K. Takeshige and S. Minakami* 315–324

Mechanism of glyceraldehyde-3-phosphate transfer from aldolase to glyceraldehyde-3-phosphate dehydrogenase
*J. Kvassman, G. Pettersson and U. Ryde-Pettersson* 427–431

Purification and partial characterization of a calcium-stimulated protease from the cyanobacterium, *Anabaena variabilis*
*W. Lockau, B. Massalsky and A. Dirmeier* 433–438

8-(2-Carboxymethylthio)-cGMP, a site-1-selective compound for cGMP-dependent protein kinase
*W. Landgraf, M. Rack, W. G. Heil and F. Hofmann* 439–444

Botulinum ADP-ribosyltransferase C3 — Purification of the enzyme and characterization of the ADP-ribosylation reaction in platelet membranes
*K. Aktories, S. Rösener, U. Blaschke and G. S. Chhatwal* 445–450

Characterization of four tyrosine protein kinases from the particulate fraction of rat spleen
*A.-M. Brunati and L. A. Pinna* 451–457

Substrate specificity, regiospecificity and stereospecificity of halogenation reactions catalyzed by non-heme-type bromoperoxidase of *Corallina pilulifera*
*N. Itoh, A. K. M. Q. Hasan, Y. Izumi and H. Yamada* 477–484

On the importance of the support material for bioorganic synthesis — Influence of water partition between solvent, enzyme and solid support in water-poor reaction media
*M. Reslow, P. Adlercreutz and B. Mattiasson* 573–578

Ionic-strength-dependent substrate inhibition of the lysis of *Micrococcus luteus* by hen egg-white lysozyme
*I. M. A. Verhamme, G. W. K. Van Dedem and A. R. Lauwers* 615–620

Purification and characterization of two oxidoreductases involved in the enantioselective reduction of 3-oxo, 4-oxo and 5-oxo esters in baker's yeast
*J. Heidlas, K.-H. Engel and R. Tressl* 633–639

The final step in methane formation — Investigations with highly purified methyl-CoM reductase (component C) from *Methanobacterium thermoautotrophicum* (strain Marburg)
*J. Ellermann, R. Hedderich, R. Böcher and R. K. Thauer* 669–677

The role of MgATP hydrolysis in nitrogenase catalysis
*J. Cordewener, M. Krüse-Wolters, H. Wassink, H. Haaker and C. Veeger* 739–745

New thiol inhibitors of *Clostridium histolyticum* collagenase — Importance of the P3' position
*A. Yiotakis, A. Hatgiyannacou, V. Dive and F. Toma* 761–766

## Carbohydrates, lipids and other natural products

Identification of a salvage pathway for D-arabinose in *Mycobacterium smegmatis*
*B. Wojtkiewicz, R. Szmidzinsky, A. Jezierska and C. Cocito* 197–203

Diversity of corrinoids in acetogenic bacteria — *P*-Cresolylcobamide from *Sporomusa ovata*, 5-methoxy-6-methylbenzimidazolylcobamide from *Clostridium formicoaceticum* and vitamin $B_{12}$ from *Acetobacterium woodii*
*E. Stupperich, H. J. Eisinger and B. Kräutler* 459–464

Structural studies on the core and lipid A region of a 4-amino-L-arabinose-lacking Rc-type mutant of *Proteus mirabilis*
*J. Radziejewska-Lebrecht, U. R. Bhat, H. Brade and H. Mayer* 535–541

Polyphthienoyl trehalose, glycolipids specific for virulent strains of the tubercle bacillus
*M. Daffé, C. Lacave, M.-A. Lanéelle, M. Gillois and G. Lanéelle* 579–584

Free sphingoid bases in normal murine tissues
*T. Kobayashi, K. Mitsuo and I. Goto* 747–752

## Physical and inorganic biochemistry

$^1$H nuclear-magnetic-resonance studies of the three-dimensional structure of the cardiotoxin CTXIIb from *Naja mossambica mossambica* in aqueous solution and comparison with the crystal structures of homologous toxins
*W. E. Steinmetz, P. E. Bougis, H. Rochat, O. D. Redwine, W. Braun and K. Wüthrich* 101–116

$^{15}$N- and $^1$H-NMR investigations of the active-site amino acids in semisynthetic RNase S' and RNase A
*H. Knoblauch, H. Rüterjans, W. Bloemhoff and K. E. T. Kerling* 485–497

Fluorescence-quenching-resolved spectroscopy of proteins
*Z. Wasylewski, H. Koloczek and A. Wasniowska* 719–724

## Membranes and bioenergetics

The $Ca^{2+}$-pumping ATPase and the major substrates of the cGMP-dependent protein kinase in smooth muscle sarcolemma are distinct entities
*K. Baltensperger, E. Carafoli and M. Chiesi* 7–16

Modifications of oxidative phosphorylations in mitochondria isolated from a mutant of *Saccharomyces cerevisiae* — Possible alterations of the phosphate transport
*S. Manon and M. Guerin* 205–211

Purified subunit $\delta$ of chloroplast coupling factor $CF_1$ reconstitutes photophosphorylation in partially $CF_1$-depleted membranes
*S. Engelbrecht and W. Junge* 213–218

Inactivation of detergent-solubilized sarcoplasmic reticulum ATPase
*G. Swoboda and W. Hasselbach* 325–332

Inorganic pyrophosphate synthesis during methanogenesis from methylcoenzyme M by cell-free extracts of *Methanobacterium thermoautotrophicum* (strain $\Delta$H)
*J. T. Keltjens, R. Van Erp, R. J. Mooijaart, C. Van der Drift and G. D. Vogels* 471–476

Hydrodynamic properties of colicin A — Existence of a high-affinity lipid-binding site and oligomerization at acid pH
*D. Cavard, P. Sauve, F. Heitz, F. Pattus, C. Martinez, R. Dijkman and C. Lazdunski* 507–512

The *Paracoccus denitrificans* cytochrome $aa_3$ has a third subunit
*T. Haltia, A. Puustinen and M. Finel* 543–546

The transmembrane electrochemical gradient of $Na^+$ as driving force for methanol oxidation in *Methanosarcina barkeri*
*V. Müller, M. Blaut and G. Gottschalk* 601–606

$NH_2$-terminal sequence of the isolated yeast ATP synthase subunit 6 reveals post-translational cleavage
*T. Michon, M. Galante and J. Velours* 621–625

Purification of the $\beta$ subunit of the fibronectin receptor
*G. Tarone, P. Mascarello, M. Zibetti and F. G. Giancotti* 713–718

## Cellular biochemistry and metabolism

Analysis of degradation of the basement membrane protein nidogen, using a specific monoclonal antibody
*M. Dziadek, R. Clements, K. Mitrangas, H. Reiter and K. Fowler* 219–225

## Metabolism and metabolic regulations

Release of acetylhydrolase from platelets on aggregation with platelet-activating factor
*Y. Suzuki, M. Miwa, M. Harada and M. Matsumoto* 117–120

Studies on the mechanisms of the glucose-induced cAMP signal in glycolysis and glucose repression mutants of the yeast *Saccharomyces cerevisiae*
*M. Beullens, K. Mbonyi, L. Geerts, D. Gladines, K. Detremerie, A. W. H. Jans and J. M. Thevelein* 227–231

Inhibition of ornithine decarboxylase induction of interferon ($\alpha + \beta$) and its reversal by dibutyryl adenosine 3′,5′-monophosphate
*S. Nishiguchi, S. Otani, I. Matsui-Yuasa, S. Morisawa, T. Monna, T. Kuroki and K. Kobayashi* 287–292

Control by pH of urea synthesis in isolated rat hepatocytes
*L. Boon and A. J. Meijer* 465–469

Binding characteristics of *Ah* receptors from rats and mice before and after separation from hepatic cytosols — 7-Hydroxyellipticine as a competitive antagonist of cytochrome *P*-450 induction
*N. Fernandez, M. Roy and P. Lesca* 585–592

Binding characteristics of 4-S proteins from rat and mouse liver — High affinity of ellipticines
*M. Roy, N. Fernandez and P. Lesca* 593–599

## Signal transduction and molecular neurobiology

Rabbit skeletal muscle microsomes contain two distinct phenylalkylamine-binding sites
*W. Wernet, M. Sieber, W. Landgraf and F. Hofmann* 233–238

$G_i$ affects the agonist-binding properties of $\beta$-adrenoceptors in the presence of $G_s$
*I. Marbach, J. Shiloach and A. Levitzki* 239–246

Regulation of angiotensin II receptors and steroidogenic responsiveness in cultured bovine fasciculata and glomerulosa adrenal cells
*A. Penhoat, C. Jaillard, A. Crozat and J. M. Saez* 247–254

Thrombin-like inhibitory action of trypsin and trypsin-like proteases on human platelet adenylate cyclase
*K. H. Jakobs and R. Grandt* 255–260

Pertussis toxin abolishes the inhibitory effects of prostaglandins $E_1$, $E_2$, $I_2$ and $F_{2\alpha}$ on hormone-induced cAMP accumulation in cultured hepatocytes
*Ø. Melien, R. Winsnes, M. Refsnes, I. P. Gladhaug and T. Christoffersen* 293–297

Atrial natriuretic peptide induces breakdown of phosphatidylinositol phosphates in cultured vascular smooth-muscle cells
*T. J. Resink, T. Scott-Burden, U. Baur, C. R. Jones and F. R. Bühler* 499–505

Dual mechanism of phosphatidylinositol hydrolysis by substance P in brain
*R. E. Catalán, A. M. Martínez, M. D. Aragonés, B. G. Miguel, A. Robles and F. Hernandez* 547–552

Rapid activation of human platelets by low concentrations of low-density lipoprotein via phosphatidylinositol cycle
*M. Knorr, R. Locher, E. Vogt, W. Vetter, L. H. Block, F. Ferracin, H. Lefkovits and A. Pletscher* 753–759

## Molecular cell biology

Identification of [1-$^{14}$C]pantothenic-acid-mediated modified mitochondrial proteins
*W. Huth, M. Arvand and U. Möller* 607–614

Cell-cycle-related metabolic and enzymatic events in proliferating rat thymocytes
*K. Brand, S. Aichinger, S. Forster, S. Kupper, B. Neumann, W. Nürnberg and G. Ohrisch* 695–702

Improper expression of insulin receptors on fibroblasts from a leprechaun patient
*J. A. Maassen, M. P. Klinkhamer, R. J. H. Odink, H. Sips, G. C. M. Van Der Zon, T. Wieringa, H. M. J. Krans and W. Möller* 725–729

Comparison of the *in vivo* and *in vitro* activity of the δ-endotoxin of *Bacillus thuringiensis* var. *morrisoni* (HD-12) and two of its constituent proteins after cloning and expression in *Escherichia coli*
*P. E. Granum, S. M. Pinnavaia and D. J. Ellar* 731–738

Biosynthesis and turnover of a 34-kDa protein growth factor in human cytotrophoblasts
*S. Roy-Choudhury, A. Sen-Majumdar, U. Murthy, V. S. Mishra, H. J. Kliman, J. E. Nestler, J. F. Strauss III and M. Das* 777–783

## Developmental biochemistry and immunology

Attachment of human placental-type alkaline phosphatase via phosphatidylinositol to syncytiotrophoblast and tumour cell plasma membranes
*P. D. Webb and J. Todd* 647–652

Indexed in *Current Contents*